

Technical Data Sheet: Nitro thinner 21 Anti-fog

Code: D0034. 0000F1 *Ref.:* --- *Rev.:* 4

Date: 19/10/2022

Product Type:

Thinner for nitrocellulose paints.

Formats:

Cans 1- 5- 18 - 20 - 25 liters. Cans 180 -190 - 200 liters.

Tanks 930 liters.

Product Characteristics:

Solvent formulated with technical raw materials.

Technical Specifications of the Product:

CHARACTERISTIC	UM	VALUE	METHOD	TOLERANCE
Physical state		Liquid	Visual	//
Color	Hazen	< 15	Comparison to STD	//
Flash point	°C	< 0 (closed cup)	Met. Int. ISTR. 53	//
Density at 20°C	Kg/dm ³	0.850	Met. Int. ISTR. 44	± 0.02

Use / Applications:

The nitro thinner is suitable to dilute primers, rust inhibitors and for all general uses.

It is also specific for washing and degreasing on metalwork

How to use:

Dilute the paint to the desired viscosity for the chosen application. Thicker for brush or roller, more liquid for spray application. Approximately between 10 and 20 %, unless there are different indications printed on the paint can.

For good anti-bleaching power, add 5 to 7% of corrective agent (Corrective Agent for Nitro Thinner 431).

Additional Information: //

The above information is provided based on our theoretical and practical knowledge. The company, however, does not assume any liability as the conditions of use and application are not subject to the control of Fidea SpA