

Lubricating oil.

Technical Data Sheet: Vaseline oil

Code: 1045

Ref.: ST045 *Rev.:* 2 *Date:* 02/12/2010

Product Type: Formats:

Cans 25-5-1-0.500 liters

Drums 200 liters,

Product Characteristics:

Lubricating oil obtained by distillation of paraffinic hydrocarbon-rich petroleum, decolorized and heat-treated with adsorbent carbons.

It has a very slight petroleum odor.

Technical Specifications of the Product:

CHARACTERISTIC	METHOD	UM	VALUE
Aspect	ASTM D 4176	Clear	
Density at 15° C	ASTM D 941	Kg/m ³	840- 860
Saybolt color	ASTM D 156	Unit	Min. 30
Viscosity at 40° C	ASTM D 445	cSt	12.5- 18.5
Cleveland Flashpoint	ASTM D 92	° C	170- 250
Sliding point	ASTM D 97	° C	-6 / -15

Use / Applications:

It is an excellent substitute for more viscous and less refined oils in the lubrication of high-tech machinery such as sewing machines, weaving machines, mechanical typewriters, etc.

How to use: //		
Additional Information: //		

The above information is provided based on our theoretical and practical knowledge. The company, however, does not assume any liability as the conditions of use and application are not subject to the control of Fidea SpA