Technical Data Sheet: Metal Surfaces Degreaser 3132		
<i>Formats:</i> Tanks 1000 liters, Drums 200 liters, Cans 25 - 10 - 5 liters.		
	<i>Formats:</i> Tanks 1000 liters, Drums 200 liters,	<i>Formats:</i> Tanks 1000 liters, Drums 200 liters,

Blend of pure solvents.

The addition of medium boiling alcohols slightly retards its evaporation.

It has a very faint and tolerable odor.

Technical Specifications of the Product:

CHARACTERISTIC	UM	VALUE	METHOD	TOLERANCE
Physical state	Liquid		Visual	//
Color	Colorless clear		Visual	//
Flash point	°C	< 0 (closed cup)	Met. Int. ISTR. 53	//
Water content	%	0.2	Met. Int. ISTR. 48	Maximum
Density at 20°C	Kg/dm ³	0.729	Met. Int. ISTR. 44	± 0.005

Use / Applications:

A product for degreasing all metals, but especially light alloys, engines or parts of them, because it does not damage seals or rubber parts.

It is also particularly suitable for degreasing plastic materials and painted surfaces, as it does not affect or matte them.

Furthermore:

It is particularly suitable for cleaning mirrored surfaces (e.g., stainless steel), as it does not leave halos or streaks.

How to use:

It can be applied by using a brush, a rag or spray, while being careful, before painting, to wipe with a dry cloth. It can be used on all surfaces, including painted surfaces, taking care to operate away from flames and sparks.

Additional Information:

It is not recommended for use in tanks because it is too volatile.

The product complies with Italian Legislative Decree No. 161 of March 27, 2006 for the limitation of emissions of VOCs (volatile organic compounds) resulting from the use of bodywork products.

Product	Function	Limit value of ready-to-use product (g/l) - Legislative Decree No. 161/06
Preparation and cleaning products	Preparation product	850

The above information is provided based on our theoretical and practical knowledge. The company, however, does not assume any liability as the conditions of use and application are not subject to the control of Fidea SpA